

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,851,174 B2  
APPLICATION NO. : 10/531315  
DATED : December 14, 2010  
INVENTOR(S) : Yuki Katayama et al.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON COVER PAGE AT (54) TITLE:

“LIPOPROTEINS” should read --LIPOPROTEIN--.

COLUMN 1

Line 3, “LIPOPROTEINS” should read --LIPOPROTEIN--; and  
Line 42, “methods” should read --method--.

COLUMN 3

Line 6, “avid” should read --avoid--.

COLUMN 8

Line 35, “poloxyethylene” should read --polyoxyethylene--; and “the” should read --and--.

COLUMN 10

Line 8, “a” should read --an--.


COLUMN 12

Line 43, “1)” should read --(1)--.

COLUMN 13

Line 58, “4-aminoantipyrine 4-AA),” should read --4-aminoantipyrine (4-AA),--.

Signed and Sealed this  
First Day of March, 2011

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive, flowing style with a large initial 'D' and 'K'.

David J. Kappos  
*Director of the United States Patent and Trademark Office*

COLUMN 15

Line 16, “anionicsurfactant,” should read --a nonionic surfactant,--.

COLUMN 16

Line 5, “cholesterol accord-” should be deleted; and

Line 6, “ing to the present invention,” should be deleted.

COLUMN 22

Line 36, “is preferred” (second occurrence) should be deleted;

Line 39, “never” should read --are not--; and

Line 64, “[polhyoxyethylene” should read --[polyoxyethylene--.

COLUMN 36

Line 20, “sample s” should read --samples--.

COLUMN 37

Line 19, “Examples 30,” should read --Example 30,--.

COLUMN 40

Line 23,

HEPES (Ph 7.5)	10 mmol/L
EMSE	0.3 g/L

“ ” should read

HEPES (Ph 7.5)	10 mmol/L
EMSE	0.3 g/L
Sodium dextran sulfate (molecular weight 500,000)	1.0 g/L
Nymeen S207	0.07 g/L

-- --; and

Lines 27-29, “Sodium dextran sulfate (molecular weight: 500,000) 1.0 g/L

Nymeen S207 0.07 g/L” should be deleted.

COLUMN 45

Table 4, “EXAMPLE 19” should read --Comp. Ex. 19--;  
“EXAMPLE 20” should read --Comp. Ex. 20--;  
“EXAMPLE 21” should read --Comp. Ex. 21--;  
“EXAMPLE 22” should read --Comp. Ex. 22--;  
“EXAMPLE 23” should read --Comp. Ex. 23--; and  
“EXAMPLE 24” should read --Comp. Ex. 24--.

COLUMN 53

Line 6, “claims 1-4, 3 or 5,” should read --claims 1-5,--.

COLUMN 54

Line 1, “claims 1-4, 3 or 5,” should read --claims 1-5,--.